



Republic of the Philippines

Department of Education

REGIONAL OFFICE IX- ZAMBOANGA PENINSULA

REQUEST FOR QUOTATION

Date: June 14, 2022

RFQ No.: 2022 05 120

Name of Company: _____

Address: _____

Name of Store/Shop: _____

Address: _____

TIN: _____

PhilGEPS Registration Number (*required*): _____

The Department of Education - Regional Office IX, through its Bids and Awards Committee (BAC), intends to procure "Procurement of the Conference Hall Sound System and Display Equipment" in accordance with Section 53.9 NEGOTIATED PROCUREMENT – SMALL VALUE of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184.

Please quote your best offer for the item/s described herein, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than **2:00 PM**, **June 21, 2022**. Along with the quotation/proposal, kindly submit a copy of your **PhilGEPS Registration Number** and **Mayor's/Business Permit**.

A valid **Certificate of PhilGEPS Registration** (Platinum Membership) may be submitted in lieu of the Mayor's/Business Permit.

A notarized **Omnibus Sworn Statement** (GPPB-prescribed form) will also be required to be submitted prior to award.

Open quotations may be submitted, manually or through facsimile or email at the address indicated below.

For any clarification, you may email us at region9.bac@deped.gov.ph

PEDRO MELCHOR M. NATIVIDAD, PhD, CSEE
BAC Chairman



Address: President Corazon C. Aquino Regional Government Center, Balintawak, Pagadian City 7016
Website: www.depedro9.net; www.ro9-deped.com
Email: region9@deped.gov.ph



1 | Page
CERTIFICATE NO.
CP000499Q

INSTRUCTIONS:

- (1) Accomplish this RFQ correctly and accurately.
 (2) Do not alter the contents of this form in any way.
 (3) All Technical Specifications are mandatory, unless stated otherwise. Failure to comply with any of the mandatory requirements will disqualify your quotation.
 (4) Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/we submit our quotation(s) for the item(s) as follows:

PROCUREMENT PROJECT	APPROVED BUDGET FOR THE CONTRACT		
"Procurement of the Conference Hall Sound System and Display Equipment"	608,827.53		
TECHNICAL SPECIFICATIONS: (Please check the box for the availability of the specifications)	YES	NO	REMARKS
Branded 65" Crystal UHD 4K LED TV - Screen Size 65", Resolution 3840x2160, Crystal Processor 4K, Connectivity: 3 HDMI, 1 USB, Ethernet (LAN), Wireless LAN Built-in, Bluetooth			
HIGH POWER KARAOKE AMPLIFIER with USB & Bluetooth GX-5000 - Power: 1000W x 2 Max, - 2 Mic input, - USB, Bluetooth, AUX1, AUX2 - Mic Bass, Treble, Echo Control, - Binding Post & Speakon Terminal - With Sub Out, Line Out & Mic Out, - Feedback Reducer Button - Loudness Button, - 2U Rack Space Metal Chasis with mounting Hole			
Professional Audio Mixer MG12XU 12-Input Mixer with USB and Effects - 12-Channel Mixing Console - Max. 6 Mic / 12 Line Inputs (4 mono + 4 stereo) - 2 GROUP Buses + 1 Stereo Bus, 2 AUX (incl. FX), "D-PRE" mic preamps with an inverted Darlington circuit, 1-Knob compressors, High-grade effects: SPX with 24 programs, 24-bit / 192kHz 2in / 2out USB Audio functions			
Wireless Microphone (4pcs handheld/set) CLR-400 - Quad UHF Wireless Microphone, - UHF Freq. 600-724 MHz - 200 selectable frequencies, - Colored LCD display receiver - LCD display on handheld, - 1U space rack mount - Dual antenna receiving system, - Transmitter battery status			
Professional Gooseneck Conference Microphone System UHF 8 Channels Fixed Frequency With 8 Wireless Gooseneck Microphone, Super-low Background Noise, Designed for Large Conferences, Meetings, Public Speaking Engagements			
Wireless Conference System Main Unit TCM-1000 - Built-in 16 Channel WIFI Frequencies, - Record & Play thru USB and with Bluetooth Function, - 5 Groups of Channel, each channel have 130 frequencies - FIFO & FCFS Function, only 4 units can use at the same time. - Wireless capabilities support an infinite number of units. - Built-in advanced encryption communication algorithm, completely eliminate communication errors and false action., - Balance XLR & Unbalance PL output - Automatic shutdown. Host standby for more than 30 min. - Workable distance up to 50 meters, depedn on environment. - Main unit can be Rack mount.			
Wireless Conference System Chairman's Unit TCM-1000C - Priority buttons, - Mic ON/OFF buttons - Unidirectional condenser mic, - Red light indicate mic is ON			

Wireless Conference System Delegate's Unit TCM-1000D - Mic ON/OFF buttons, - Unidirectional condenser mic, - Red light indicate mic is ON			
Passive Speaker System ZLX-15 Passive Speaker System - 15" 2 Way Bass Reflex, - Low 3" Vcoil, Hi 1.7" Vcoil, 1000 Watts, 8 Ohms, 99 dB, 43Hz-20KHz - Bottom Pole Mount for Tripod Stand, - 2 NL4 Speakon			
Sound Tower Giga Party Audio MX-T70/XP - Bi-Directional Sound, High Power 1500W, Built-in Woofer, Bass booster, Bluetooth multi connection, Analog input output, Wireless Group Play, Usp play port (mp3), 2 Mic input			
Premium Metal Tripod Speaker Stand SS-5 Metral Speaker Stand - Height: 1000mm to 1860mm, - Load Capacity: up to 50Kgs - High Quality Metal with Precisou Stand Indicator - Heavy Duty Metal vibration proof			
Branded 14" diagonal FHD Touch Display Laptop - 11th Gen core i5 or higher processor, - 16gb RAM or higher - 512 GB SSD Storage or higher, - 14" diagonal FHD touch display - Light Weight Laptop with finger print reader, Ports: USB Type C			
Balanced 6.35mm Stereo Jack to XLR 3 Pin Male Plug Screened Cable 1m			
3 Pin XLR Female to 1/4 TRS 6.3mm Stereo Male MIC Microphone Audio Cable (2m)			
Female 3 Pin XLR Jack to Male Stereo PL 6.35mm 1/4 Plug Connector Adaptor Adapter Converter Audio Mic Microphone PL55			
Microphone Cable Wire XLR Cable Aux Cable Cannon Cable Jack 6.5mm Male to XLR Female Cord for Mixer Stereo Amplifier new (15m)			
1/4 Inch TRS Instrument Cable, Straight 6.35mm Male Jack Stereo Audio Interconnect Cord,6.35 Balanced Line Compatible for Electric Guitar, Bass, Keyboard, Mixer, Amplifier, Amp, Speaker (20Meters)			
1/4 Inch Dual 6.35mm Mono TS to 2 XLR Male Audio Cable for Microphone, Mixer, Camera, Amplifier, Soundbox (20 Meter)			
XLR Male to Dual 1/4" TS 6.35mm Mono Y-Splitter Audio Cable for Mixer Amp (30 Meters)			
XLR Male to Female Balanced Audio Cable for Microphone (Color Blue, 30Meters)			
XLR Male to Female Balanced Audio Cable for Microphone (Color White, 2Meters)			
1/4"TRS 6.35mm to Dual RCA Male Audio Cable Y-Splitter for Amp,Speaker,DVD (Color Blue, 30Meters)			
1/4"TRS 6.35mm to Dual RCA Male Audio Cable Y-Splitter for Amp,Speaker,DVD (Color Blue, 5Meters)			
2RCA to 2 RCA Male to Male Audio Cable Gold-Plated RCA Audio Cable (20 Meters)			
2RCA to 2 RCA Male to Male Audio Cable Gold-Plated RCA Audio Cable (10 Meters)			

4pcs 6.35mm Mono Jack Male 1/4 Plug to RCA Female Audio Adapter Converter			
Speaker Cable Male to Male Speak On Cable (30 Meters)			
Speaker Wire 14 Gauge 100 Meters/ 1 Roll			
Vention Audio Cable 3.5MM Male to 2 Male RCA Adapter Cable HiFi (10meters)			
Quality 4 Pole Speakon Cable NL4FC to 2 Banana Spade Plug for Stage Speaker Cable OFC			
Professional 16U Audio Cabinet - (Amplifier Crate Aluminum Edge Rack, Mixer Cabinet, Mobile Flight Case) Classification: (16u black aluminum standard cabinet (plus two partitions))			
8Slots 19" Rack Mount PDU Power Distribution Unit Switch + SDP Module 5 Meters Power Cable			
Minimalist Executive Corner Computer Table (L Shaped Table Desk) Wooden Office L-shaped Table, Computer Table/Desk with keyboard tray Minimalist Executive Corner Computer Table (L Shaped Table Desk) - Dimension (w : 18.1" x 50.8" x 50.8" x 18.1", h : 28")			
Boltless Rack Rivet Shelving 5 layers - Boltless Steel Shelving, - 5FT Adjustable Heavy Duty Shelf Storage - 100 KGS per Shelf, - Bolt-free assembly, - Durable powder coat finish - 6mm MDF board shelves, - Adjustable on 1-1/2" increment			
10 meters Heavy Duty Extension Cord with w/ Master Switch (6 Gang outlets)			
3 meters Heavy Duty Universal Outlet Extension Cord w/ Master Switch (10 Gang outlets)			
ZTE 5G CPE MC801A Wifi 6.0 Router LTE+5G Open Line			
HDMI 2.1 Cable 8K 60Hz 4K 120Hz 3D Ultra HD High Speed 48Gbps HDMI to HDMI Cable Cord HiFi Audio Phile-level Sound for Laptop Monitor PC PS4 Project TV Switch Audio Video Sync 8K HDMI Male to Male Cable 2.1 (5Meter)			
8K HDMI 2.1 Cable 120Hz 48Gbps Fiber Optic HDMI Cable Ultra High Speed HDR eARC for HD Projector Cable HDMI (20Meters)			
Micro HDMI to HDMI-compatible Cable 2.1 3D 8k 1080P High Speed Cable Adapter			
8K HDMI 2.1 Cable 120Hz 48Gbps Fiber Optic HDMI Cable Ultra High Speed HDR eARC for HD Projector Cable HDMI (30Meters)			
3.5mm thhn stranded wire /150meters			
Branded 15.6" diagonal FHD Touch Display Laptop - Processor: Intel® Core™ i7-1165G7, - Graphics: Integrated: Intel® Iris® Xe Graphics - Display: 15.6" diagonal, FHD (1920 x 1080), multitouch-enabled, IPS, edge-to-edge glass, micro-edge, 400 nits, 100% sRGB[14,15] - Fingerprint reader, 16GB RAM or higher, 512GB m.2 SSD or higher - Storage acceleration: 32GB Intel Optane Memory, Wide Vision HD Camera - Ports: 1 SuperSpeed USB Type-C® 10Gbps signaling rate; 1 SuperSpeed USB Type-A 5Gbps signaling rate; 1 SuperSpeed USB Type-A 5Gbps signaling rate; 1 HDMI 2.0; 1 AC smart pin; 1 headphone/microphone combo			

METRO 16U MX-3 MIXER STAND			
Moza Aircross 2 3-Axis Handheld Gimbal Stabilizer for DSLR and Mirrorless Camera			
Installation, Configuration and Cable Management with Moulding and other installation accessories (Outlets, Adhesive, Tapes, Speakon, Tox, Screws)			
Tool Box with Metal Latch 23-25" Heavy Duty Organizer			
Branded Rechargeable AA batteries 2500mAh Capacity 1 Pack (4pcs)			
Branded PRO Quick Charger for AA batteries 3 or more slots			

*** nothing follows ***

Terms of Payment:

Payment shall be made through LDDAP-ADA/Bank Transfer facility, within thirty (30) days after Submission of Billing and User Acceptance of the product. Bank Transfer fee shall be charged against the creditor's account.

Payment Details:

Banking Institution: _____
Account Number: _____
Account Name: _____
Branch: _____

YOUR QUOTATION:

Summary of Approved Budget				Offered Quotation			
Item	Qty.	Unit	Unit Price	Item	Qty.	Unit Price	Total
Branded 65" Crystal UHD 4K LED TV - Screen Size 65", Resolution 3840x2160, Crystal Processor 4K, Connectivity: 3 HDMI, 1 USB, Ethernet (LAN), Wireless LAN Built-in, Bluetooth	2	Unit	57,032.64	Branded 65" Crystal UHD 4K LED TV - Screen Size 65", Resolution 3840x2160, Crystal Processor 4K, Connectivity: 3 HDMI, 1 USB, Ethernet (LAN), Wireless LAN Built-in, Bluetooth	2		
HIGH POWER KARAOKE AMPLIFIER with USB & Bluetooth GX-5000 - Power: 1000W x 2 Max, - 2 Mic input, - USB, Bluetooth, AUX1, AUX2 - Mic Bass, Treble, Echo Control, - Binding Post & Speakon Terminal - With Sub Out, Line Out & Mic Out, - Feedback Reducer Button - Loudness Button, - 2U Rack Space Metal Chasis with mounting Hole	1	Unit	11,627.50	HIGH POWER KARAOKE AMPLIFIER with USB & Bluetooth GX-5000 - Power: 1000W x 2 Max, - 2 Mic input, - USB, Bluetooth, AUX1, AUX2 - Mic Bass, Treble, Echo Control, - Binding Post & Speakon Terminal - With Sub Out, Line Out & Mic Out, - Feedback Reducer Button - Loudness Button, - 2U Rack Space Metal Chasis with mounting Hole	1		

Professional Audio Mixer MG12XU 12-Input Mixer with USB and Effects - 12-Channel Mixing Console - Max. 6 Mic / 12 Line Inputs (4 mono + 4 stereo) - 2 GROUP Buses + 1 Stereo Bus, 2 AUX (incl. FX), "D-PRE" mic preamps with an inverted Darlington circuit, 1-Knob compressors, High-grade effects: SPX with 24 programs, 24-bit / 192kHz 2in / 2out USB Audio functions	1	Unit	23,750.00	Professional Audio Mixer MG12XU 12-Input Mixer with USB and Effects - 12-Channel Mixing Console - Max. 6 Mic / 12 Line Inputs (4 mono + 4 stereo) - 2 GROUP Buses + 1 Stereo Bus, 2 AUX (incl. FX), "D-PRE" mic preamps with an inverted Darlington circuit, 1-Knob compressors, High-grade effects: SPX with 24 programs, 24-bit / 192kHz 2in / 2out USB Audio functions	1		
Wireless Microphone (4pcs handheld/set) CLR-400 - Quad UHF Wireless Microphone, - UHF Freq. 600-724 MHz - 200 selectable frequencies, - Colored LCD display receiver - LCD display on handheld, - 1U space rack mount - Dual antenna receiving system, - Transmitter battery status	1	Unit	16,562.50	Wireless Microphone (4pcs handheld/set) CLR-400 - Quad UHF Wireless Microphone, - UHF Freq. 600-724 MHz - 200 selectable frequencies, - Colored LCD display receiver - LCD display on handheld, - 1U space rack mount - Dual antenna receiving system, - Transmitter battery status	1		
Professional Gooseneck Conference Microphone System UHF 8 Channels Fixed Frequency With 8 Wireless Gooseneck Microphone, Super-low Background Noise, Designed for Large Conferences, Meetings, Public Speaking Engagements	1	Unit	22,586.25	Professional Gooseneck Conference Microphone System UHF 8 Channels Fixed Frequency With 8 Wireless Gooseneck Microphone, Super-low Background Noise, Designed for Large Conferences, Meetings, Public Speaking Engagements	1		

<p>Wireless Conference System Main Unit TCM-1000</p> <ul style="list-style-type: none"> - Built-in 16 Channel WIFI Frequencies, - Record & Play thru USB and with Bluetooth Function, - 5 Groups of Channel, each channel have 130 frequencies - FIFO & FCFS Function, only 4 units can use at the same time. - Wireless capabilities support an infinite number of units. - Built-in advanced encryption communication algorithm, completely eliminate communication errors and false action., - Balance XLR & Unbalance PL output - Automatic shutdown. Host standby for more than 30 min. - Workable distance 	1	Unit	15,937.50	<p>Wireless Conference System Main Unit TCM-1000</p> <ul style="list-style-type: none"> - Built-in 16 Channel WIFI Frequencies, - Record & Play thru USB and with Bluetooth Function, - 5 Groups of Channel, each channel have 130 frequencies - FIFO & FCFS Function, only 4 units can use at the same time. - Wireless capabilities support an infinite number of units. - Built-in advanced encryption communication algorithm, completely eliminate communication errors and false action., - Balance XLR & Unbalance PL output - Automatic shutdown. Host standby for more than 30 min. - Workable distance up to 50 meters, depedn on environment. - Main unit can be Rack mount. 	1		
<p>Wireless Conference System Chairman's Unit TCM-1000C</p> <ul style="list-style-type: none"> - Priority buttons, - Mic ON/OFF buttons - Unidirectional condenser mic, - Red light indicate mic is ON 	2	Unit	6,437.50	<p>Wireless Conference System Chairman's Unit TCM-1000C</p> <ul style="list-style-type: none"> - Priority buttons, - Mic ON/OFF buttons - Unidirectional condenser mic, - Red light indicate mic is ON 	2		
<p>Wireless Conference System Delegate's Unit TCM-1000D</p> <ul style="list-style-type: none"> - Mic ON/OFF buttons, - Unidirectional condenser mic, - Red light indicate mic is ON 	4	Unit	6,187.50	<p>Wireless Conference System Delegate's Unit TCM-1000D</p> <ul style="list-style-type: none"> - Mic ON/OFF buttons, - Unidirectional condenser mic, - Red light indicate mic is ON 	4		
<p>Passive Speaker System ZLX-15 Passive Speaker System</p> <ul style="list-style-type: none"> - 15" 2 Way Bass Reflex, - Low 3" Vcoil, Hi 1.7" Vcoil, 1000 Watts, 8 Ohms, 99 dB, 43Hz-20KHz - Bottom Pole Mount for Tripod Stand, - 2 NL4 Speakon 	2	Unit	11,460.00	<p>Passive Speaker System ZLX-15 Passive Speaker System</p> <ul style="list-style-type: none"> - 15" 2 Way Bass Reflex, - Low 3" Vcoil, Hi 1.7" Vcoil, 1000 Watts, 8 Ohms, 99 dB, 43Hz-20KHz - Bottom Pole Mount for Tripod Stand, - 2 NL4 Speakon 	2		

Sound Tower Giga Party Audio MX-T70/XP - Bi-Directional Sound, High Power 1500W, Built-in Woofer, Bass booster, Bluetooth multi connection, Analog input output, Wireless Group Play, Usp play port (mp3), 2 Mic input	1	Unit	24,750.00	Sound Tower Giga Party Audio MX-T70/XP - Bi-Directional Sound, High Power 1500W, Built-in Woofer, Bass booster, Bluetooth multi connection, Analog input output, Wireless Group Play, Usp play port (mp3), 2 Mic input	1		
Premium Metal Tripod Speaker Stand SS-5 Metral Speaker Stand - Height: 1000mm to 1860mm, - Load Capacity: up to 50Kgs - High Quality Metal with Precisou Stand Indicator - Heavy Duty Metal vibration proof	2	Unit	1,546.25	Premium Metal Tripod Speaker Stand SS-5 Metral Speaker Stand - Height: 1000mm to 1860mm, - Load Capacity: up to 50Kgs - High Quality Metal with Precisou Stand Indicator - Heavy Duty Metal vibration proof	2		
Branded 14" diagonal FHD Touch Display Laptop - 11th Gen core i5 or higher processor, - 16gb RAM or higher - 512 GB SSD Storage or higher, - 14" diagonal FHD touch display - Light Weight Laptop with finger print reader, Ports: USB Type C	1	Unit	56,187.50	Branded 14" diagonal FHD Touch Display Laptop - 11th Gen core i5 or higher processor, - 16gb RAM or higher - 512 GB SSD Storage or higher, - 14" diagonal FHD touch display - Light Weight Laptop with finger print reader, Ports: USB Type C	1		
Balanced 6.35mm Stereo Jack to XLR 3 Pin Male Plug Screened Cable 1m	2	Unit	462.50	Balanced 6.35mm Stereo Jack to XLR 3 Pin Male Plug Screened Cable 1m	2		
3 Pin XLR Female to 1/4 TRS 6.3mm Stereo Male MIC Microphone Audio Cable (2m)	2	Unit	678.75	3 Pin XLR Female to 1/4 TRS 6.3mm Stereo Male MIC Microphone Audio Cable (2m)	2		
Female 3 Pin XLR Jack to Male Stereo PL 6.35mm 1/4 Plug Connector Adaptor Adapter Converter Audio Mic Microphone PL55	2	Unit	292.50	Female 3 Pin XLR Jack to Male Stereo PL 6.35mm 1/4 Plug Connector Adaptor Adapter Converter Audio Mic Microphone PL55	2		
Microphone Cable Wire XLR Cable Aux Cable Cannon Cable Jack 6.5mm Male to XLR Female Cord for Mixer Stereo Amplifier new (15m)	2	Unit	1,741.25	Microphone Cable Wire XLR Cable Aux Cable Cannon Cable Jack 6.5mm Male to XLR Female Cord for Mixer Stereo Amplifier new (15m)	2		

1/4 Inch TRS Instrument Cable, Straight 6.35mm Male Jack Stereo Audio Interconnect Cord,6.35 Balanced Line Compatible for Electric Guitar, Bass, Keyboard, Mixer, Amplifier, Amp, Speaker (20Meters)	2	Unit	3,728.75	1/4 Inch TRS Instrument Cable, Straight 6.35mm Male Jack Stereo Audio Interconnect Cord,6.35 Balanced Line Compatible for Electric Guitar, Bass, Keyboard, Mixer, Amplifier, Amp, Speaker (20Meters)	2		
1/4 Inch Dual 6.35mm Mono TS to 2 XLR Male Audio Cable for Microphone, Mixer, Camera, Amplifier, Soundbox (20 Meter)	2	Unit	2,488.75	1/4 Inch Dual 6.35mm Mono TS to 2 XLR Male Audio Cable for Microphone, Mixer, Camera, Amplifier, Soundbox (20 Meter)	2		
XLR Male to Dual 1/4" TS 6.35mm Mono Y-Splitter Audio Cable for Mixer Amp (30 Meters)	2	Unit	2,645.00	XLR Male to Dual 1/4" TS 6.35mm Mono Y-Splitter Audio Cable for Mixer Amp (30 Meters)	2		
XLR Male to Female Balanced Audio Cable for Microphone (Color Blue, 30Meters)	2	Unit	2,587.50	XLR Male to Female Balanced Audio Cable for Microphone (Color Blue, 30Meters)	2		
XLR Male to Female Balanced Audio Cable for Microphone (Color White, 2Meters)	2	Unit	907.50	XLR Male to Female Balanced Audio Cable for Microphone (Color White, 2Meters)	2		
1/4"TRS 6.35mm to Dual RCA Male Audio Cable Y-Splitter for Amp,Speaker,DVD (Color Blue, 30Meters)	2	Unit	3,970.00	1/4"TRS 6.35mm to Dual RCA Male Audio Cable Y-Splitter for Amp,Speaker,DVD (Color Blue, 30Meters)	2		
1/4"TRS 6.35mm to Dual RCA Male Audio Cable Y-Splitter for Amp,Speaker,DVD (Color Blue, 5Meters)	2	Unit	1,592.50	1/4"TRS 6.35mm to Dual RCA Male Audio Cable Y-Splitter for Amp,Speaker,DVD (Color Blue, 5Meters)	2		
2RCA to 2 RCA Male to Male Audio Cable Gold-Plated RCA Audio Cable (20 Meters)	1	Unit	4,031.25	2RCA to 2 RCA Male to Male Audio Cable Gold-Plated RCA Audio Cable (20 Meters)	1		
2RCA to 2 RCA Male to Male Audio Cable Gold-Plated RCA Audio Cable (10 Meters)	1	Unit	2,683.75	2RCA to 2 RCA Male to Male Audio Cable Gold-Plated RCA Audio Cable (10 Meters)	1		
4pcs 6.35mm Mono Jack Male 1/4 Plug to RCA Female Audio Adapter Converter	2	Sets	250.00	4pcs 6.35mm Mono Jack Male 1/4 Plug to RCA Female Audio Adapter Converter	2		
Speaker Cable Male to Male Speak On Cable (30 Meters)	2	Unit	841.25	Speaker Cable Male to Male Speak On Cable (30 Meters)	2		

Speaker Wire 14 Gauge 100 Meters/ 1 Roll	1	Unit	2,450.00	Speaker Wire 14 Gauge 100 Meters/ 1 Roll	1		
Vention Audio Cable 3.5MM Male to 2 Male RCA Adapter Cable HiFi (10meters)	2	Unit	731.25	Vention Audio Cable 3.5MM Male to 2 Male RCA Adapter Cable HiFi (10meters)	2		
Quality 4 Pole Speakon Cable NL4FC to 2 Banana Spade Plug for Stage Speaker Cable OFC	2	Unit	2,631.25	Quality 4 Pole Speakon Cable NL4FC to 2 Banana Spade Plug for Stage Speaker Cable OFC	2		
Professional 16U Audio Cabinet - (Amplifier Crate Aluminum Edge Rack, Mixer Cabinet, Mobile Flight Case) Classification: (16u black aluminum standard cabinet (plus two partitions))	1	Unit	12,972.50	Professional 16U Audio Cabinet - (Amplifier Crate Aluminum Edge Rack, Mixer Cabinet, Mobile Flight Case) Classification: (16u black aluminum standard cabinet (plus two partitions))	1		
8Slots 19" Rack Mount PDU Power Distribution Unit Switch + SDP Module 5 Meters Power Cable	1	Unit	2,368.75	8Slots 19" Rack Mount PDU Power Distribution Unit Switch + SDP Module 5 Meters Power Cable	1		
Minimalist Executive Corner Computer Table (L Shaped Table Desk) Wooden Office L-shaped Table, Computer Table/Desk with keyboard tray Minimalist Executive Corner Computer Table (L Shaped Table Desk) - Dimension (w : 18.1" x 50.8" x 50.8" x 18.1", h : 28")	2	Unit	3,937.50	Minimalist Executive Corner Computer Table (L Shaped Table Desk) Wooden Office L-shaped Table, Computer Table/Desk with keyboard tray Minimalist Executive Corner Computer Table (L Shaped Table Desk) - Dimension (w : 18.1" x 50.8" x 50.8" x 18.1", h : 28")	2		
Boltless Rack Rivet Shelving 5 layers - Boltless Steel Shelving, - 5FT Adjustable Heavy Duty Shelf Storage - 100 KGS per Shelf, - Bolt-free assembly, - Durable powder coat finish - 6mm MDF board shelves, - Adjustable on 1-1/2" increment	2	Unit	2,498.75	Boltless Rack Rivet Shelving 5 layers - Boltless Steel Shelving, - 5FT Adjustable Heavy Duty Shelf Storage - 100 KGS per Shelf, - Bolt-free assembly, - Durable powder coat finish - 6mm MDF board shelves, - Adjustable on 1-1/2" increment	2		
10 meters Heavy Duty Extension Cord with w/ Master Switch (6 Gang outlets)	2	Unit	1,625.00	10 meters Heavy Duty Extension Cord with w/ Master Switch (6 Gang outlets)	2		

3 meters Heavy Duty Universal Outlet Extension Cord w/ Master Switch (10 Gang outlets)	2	Unit	812.50	3 meters Heavy Duty Universal Outlet Extension Cord w/ Master Switch (10 Gang outlets)	2		
ZTE 5G CPE MC801A Wifi 6.0 Router LTE+5G Open Line	1	Unit	20,800.00	ZTE 5G CPE MC801A Wifi 6.0 Router LTE+5G Open Line	1		
HDMI 2.1 Cable 8K 60Hz 4K 120Hz 3D Ultra HD High Speed 48Gbps HDMI to HDMI Cable Cord HiFi Audio Phile-level Sound for Laptop Monitor PC PS4 Project TV Switch Audio Video Sync 8K HDMI Male to Male Cable 2.1 (5Meter)	2	Unit	1,157.50	HDMI 2.1 Cable 8K 60Hz 4K 120Hz 3D Ultra HD High Speed 48Gbps HDMI to HDMI Cable Cord HiFi Audio Phile-level Sound for Laptop Monitor PC PS4 Project TV Switch Audio Video Sync 8K HDMI Male to Male Cable 2.1 (5Meter)	2		
8K HDMI 2.1 Cable 120Hz 48Gbps Fiber Optic HDMI Cable Ultra High Speed HDR eARC for HD Projector Cable HDMI (20Meters)	2	Unit	4,093.75	8K HDMI 2.1 Cable 120Hz 48Gbps Fiber Optic HDMI Cable Ultra High Speed HDR eARC for HD Projector Cable HDMI (20Meters)	2		
Micro HDMI to HDMI-compatible Cable 2.1 3D 8k 1080P High Speed Cable Adapter	2	Unit	1,697.50	Micro HDMI to HDMI-compatible Cable 2.1 3D 8k 1080P High Speed Cable Adapter	2		
8K HDMI 2.1 Cable 120Hz 48Gbps Fiber Optic HDMI Cable Ultra High Speed HDR eARC for HD Projector Cable HDMI (30Meters)	2	Unit	4,637.50	8K HDMI 2.1 Cable 120Hz 48Gbps Fiber Optic HDMI Cable Ultra High Speed HDR eARC for HD Projector Cable HDMI (30Meters)	2		
3.5mm thhn stranded wire /150meters	1	Unit	3,693.75	3.5mm thhn stranded wire /150meters	1		

TERMS AND CONDITIONS:

1. Bidders shall provide correct and accurate information required in this form.
2. Price quotation(s) must be *valid for a period of thirty (30) calendar days* from the date of submission.
3. Price quotation(s), to be denominated in Philippine peso include all taxes, duties and/or levies payable.
4. Quotations exceeding the Approved Budget for the Contract shall be rejected.
5. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative(s).
7. The item(s) shall be delivered according to the requirements specified in the Technical Specifications.
8. The Technical Working Group (TWG) shall have the right to inspect and/or test the item(s)/goods to confirm their conformity to the technical specifications.
9. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the BAC shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- 10. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e, order slip and/or billing statement, by the contractor. Our Government Servicing Bank, i.e, the Land Bank of the Philippines, shall credit the amount due to the contractor's identified bank account not earlier than twenty four (24) hours, but not later than forty-eight (48) hours, upon receipt of our advice. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the contractor's account.**
11. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The BAC shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other course of action and remedies open to it.

Signature over Printed Name

Position/Designation

Office Telephone No.

Fax/Mobile No.

Email Address(es)

PEDRO MELCHOR M. NATIVIDAD, PhD, CSEE



Republic of the Philippines
Department of Education
REGIONAL OFFICE IX- ZAMBOANGA PENINSULA

CANVASS FORM

This is to certify that I have received from the canvasser of the DepEd RO-IX, Regional Government Center, Balintawak, Pagadian City, a copy of **RFQ No. 2022 05 120** dated **June 16, 2022** as indicated by my signature hereunder.

Bidder/Supplier/Dealer	Name	Signature	Date

I HEREBY CERTIFY THAT I HAVE DELIVERED A COPY OF **RFQ No. 2022 05 120**
dated **June 16, 2022** to be opened on **June 21, 2022** to the above
bidders/suppliers/dealers.

ARSENIA S. SAGARAY

Canvasser



Address: President Corazon C. Aquino Regional Government Center, Balintawak, Pagadian City 7016
Website: www.depedro9.net; www.ro9-deped.com
Email: region9@deped.gov.ph



1 | Page
CERTIFICATE NO.
CP000499Q